



MANUFACTURING STANDARDS:

Structural Steelwork:
BS EN 10210-1:1994, BS EN 10210-2:1997

General Steelwork:
BS 1449:1991, BS 1387:1985, BS EN 10025:1993

Welding Procedures:
Comply with BS 5135:1984

Hot Dipped Galvanized:
BS EN 729:1971, BS EN ISO 1461:1999

Fasteners:
Grade 8.8 BS3692:2001, BS 4190:2001,
DIN 931, DIN 934

Design Wind Loadings:
Based on CP3 Chapter V Pt 2 (1972) &
BS 6399 Pt 2 (1997)

Paint Finishes:
BS 4800 & RAL colour range

Grade C35 Concrete recommended

PRODUCT CODE	HEIGHT MTR	POLE DIA	CABINET HEIGHT	CABINET SIZE	BASEPLATE THICKNESS	DOOR APPERTURE DIMENSION	WEIGHT KGS
	A	B	C	D			
CCP3	3	168	1400	420sq	12	900 (h) X 300 (W)	175
CCP4	4	168	1400	420sq	12	900 (h) X 300 (W)	200
CCP5	5	168	1400	420sq	12	900 (h) X 300 (W)	225
CCP6	6	168	1400	420sq	12	900 (h) X 300 (W)	250
CCP7	7	168	1400	420sq	15	900 (h) X 300 (W)	275
CCP8	8	168	1400	420sq	15	900 (h) X 300 (W)	300
CCP9	9	219	1400	420sq	20	900 (h) X 300 (W)	400
CCP10	10	219	1400	420sq	20	900 (h) X 300 (W)	435
CCP11	11	219	1400	420sq	25	900 (h) X 300 (W)	470
CCP12	12	219	1400	420sq	25	900 (h) X 300 (W)	505

All dimensions in the above table are in mm unless otherwise stated.