


TDLT



Grade C35 Concrete recommended

MANUFACTURING STANDARDS:

Structural Steelwork:
BS EN 10210-1:1994, BS EN 10210-2:1997

General Steelwork:
BS 1449:1991, BS 1387:1985, BS EN 10025:1993

Welding Procedures:
Comply with BS 5135:1984

Hot Dipped Galvanized:
BS EN 729:1974, BS EN ISO 1461:1999

Fasteners:
Grade 8.8 BS3692:2001, BS 4190:2001,
DIN 931, DIN 934

Design Wind Loadings:
Based on CP3 Chapter V Pt 2 (1972) &
BS 6399 Pt 2 (1997)

Paint Finishes:
BS 4800 & RAL colour range

PRODUCT CODE	HEIGHT	PIVOT HEIGHT	PIVOT SIZE	TOWER WIDTH	SECTION SIZE	REAR TILT CLEARANCE	WEIGHT KGS
	MTR						
TDLT4	4	2000	139	370	2000	2000	98
TDLT6	6	2000	139	370	2000	2000	120
TDLT8	8	2000	139	370	2000	2000	142
TDLT10	10	2000	139	370	2000	2000	164
TDLT12	12	2000	139	370	2000	2000	186

All dimensions in the above table are in mm unless otherwise stated

